

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/825,520	04/15/2004	Ron Nevo	18189	9085
26794 7590 10/03/2005			EXAMINER	
	CTRONICS CORPOR NDEN HILL ROAD, S	CALEY, MICHAEL H		
	N, DE 19808	011L 430	ART UNIT	PAPER NUMBER
			2871	
			DATE MAILED: 10/03/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
·	10/825,520	NEVO ET AL.			
Office Action Summary	Examiner	Art Unit			
	Michael H. Caley	2871			
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet w	ith the correspondence address			
A SHORTENED STATUTORY PERIOD FOR R WHICHEVER IS LONGER, FROM THE MAILIN  - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailling date of this communication.  - If NO period for reply is specified above, the maximum statutory  - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	NG DATE OF THIS COMMUN EFR 1.136(a). In no event, however, may a on. period will apply and will expire SIX (6) MO statute, cause the application to become A	ICATION. reply be timely filed  NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on					
·	This action is non-final.	·			
3) Since this application is in condition for al					
Disposition of Claims					
4) ⊠ Claim(s) 1-29 is/are pending in the applic 4a) Of the above claim(s) 21-29 is/are with 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-20 is/are rejected. 7) □ Claim(s) is/are objected to. 8) ⊠ Claim(s) 1-29 are subject to restriction and	hdrawn from consideration.	<<<<			
Application Papers					
9) ☐ The specification is objected to by the Exact 10) ☑ The drawing(s) filed on 15 April 2004 is/ar Applicant may not request that any objection to Replacement drawing sheet(s) including the country of the oath or declaration is objected to by the specific transfer of transfer	re: a) $\boxtimes$ accepted or b) $\square$ objecto the drawing(s) be held in abeya correction is required if the drawing	nnce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of:  1. Certified copies of the priority docu 2. Certified copies of the priority docu 3. Copies of the certified copies of the application from the International B * See the attached detailed Office action for	ments have been received. ments have been received in a e priority documents have bee Bureau (PCT Rule 17.2(a)).	Application No n received in this National Stage			
Attachment(s)		····			
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-943)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/929)</li> <li>Paper No(s)/Mail Date</li> </ol>	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (PTO-152)			

U.S. Patent and Trademark Office PTOL-326 (Rev. 7-05)

Art Unit: 2871

## **DETAILED ACTION**

## Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-20, drawn to a method for assembling an opto-electric module, classified in class 385, subclass 92.
- II. Claims 21-29, drawn to an opto-electric module product, classified in class 385, subclass 92.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the opto-electric module product may be made by a materially different process in which the electrical interface is connected to the contacts before the OSA is disposed in the cavity and the circuit board is fixed to the substrate. Furthermore, the product may be made by a different process in which the OSA is not snapped into the cavity or the optical end is inserted after the electrical end.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Art Unit: 2871

During a telephone conversation with Stephen Driscoll on 9/29/05 a provisional election was made with traverse to prosecute the invention of Group I, claims 1-20. Affirmation of this election must be made by applicant in replying to this Office action. Claims 21-29 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-7, 9-17, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kurashima et al. (U.S. Patent No. 5,596,665 "Kurashima") in view of Sampson et al. (U.S. Patent No. 4,767,179).

Regarding claim 1, Kurashima discloses a method for assembling an opto-electric module (Figure 1 element 1) comprising:

Art Unit: 2871

at least one OSA (Figure 2 elements 2 and 5) having an optical axis (Column 11 lines 35-37), an optical end (Figure 2 element 10a), an electrical end (Figure 2 side of element 11a), and an electrical interface (Figure 2 side of element 11a) at said electrical end, a circuit board (Figure 2 element 8) having electrical contacts (Figure 2 element 46b), and a connector interface (Figure 20 elements 9 and 22) cooperating with the OSA such than an optical connector (Figure 20 element 9) is optically coupled to the OSA, the method comprising:

providing an assembly (Figure 2 element 7) comprising the connector interface and a substrate (Figure 2 element 15) having a cavity for receiving the OSA, the cavity being aligned with the connector interface (Figure 8 element 22, Figure 20) such that, when the OSA is disposed in the cavity, the OSA is positioned to optically couple with a mating connector of an optical component connected to the connector interface (Figure 20 element 9);

placing the circuit board in a particular position relative to the cavity such that, when the OSA is disposed in the cavity, the electrical interface is positioned to electrically couple with contacts on the circuit board (Figure 14);

placing the OSA in the cavity (Figures 5-8); and electrically connecting the electrical interfaces to the contacts (Figures 13-15).

Kurashima fails to disclose the step of affixing the circuit board to the substrate and also fails to disclose the step of electrically connecting the electrical interface to the contacts as

Art Unit: 2871

performed after the OSA is disposed in the cavity and the circuit board is fixed to the substrate. Sampson, however, teaches affixing a circuit board (12) to a substrate (22) having a cavity for an OSA (16) and connecting the electrical interface after the OSA is disposed in the cavity and the circuit board is fixed to the substrate (Column 3 lines 1-8).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have affixed the circuit board to the substrate and to have electrically connected to the electrical interface after disposing the OSA and fixing the circuit board in the display device disclosed by Kurashima. One would have been motivated to affix the circuit board and the substrate to maintain their positional relationship within the opto-electric module assembly as taught by Sampson. One would have been motivated to electrically connect the electrical interface after the OSA is disposed in the cavity and the circuit board is fixed to the substrate to allow for the circuitry to be aligned and therefore allow for the circuitry to be easily connected by soldering (Column 3 lines 1-8).

Regarding claim 2, Kurashima discloses the cavity as dimensioned to receive the OSA snugly so that the position of the OSA is defined in the module (Figures 2, 6, and 8).

Regarding claim 3, Kurashima discloses the substrate as resilient and urges against the OSA when the OSA is placed therein (elements 24A and 24B; Figures 11 and 12).

Art Unit: 2871

Regarding claim 4, Kurashima discloses the step of placing the OSA in the cavity as comprising snapping the OSA into the cavity (Column 9 lines 24-50, Column 10 lines 5-31; Figures 11 and 12).

Regarding claim 5, Kurashima discloses the substrate as having a second cavity (Figure 2).

Regarding claim 6, Kurashima discloses a first structure to align the connector interface to the cavity (Figures 2 and 20).

Regarding claim 7, Kurashima fails to disclose a second structure to align the circuit board relative to the cavity. Sampson, however, teaches a second structure to align the circuit board relative to the cavity (element 36).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form a second structure on the substrate to align the circuit board relative to the cavity in the display device disclosed by Kurashima. One would have been motivated to affix the circuit board and the substrate to maintain their positional relationship within the optoelectric module assembly in achieving a reliable electrical connection between the optoelectric module and the circuit board.

Regarding claim 9, Kurashima discloses placing the OSA by first inserting the optical end thereof into the connector interface and then placing the electrical end into the cavity such

Art Unit: 2871

that the electrical interface is urged against the circuit board (Column 9 lines 24-50, Column 10 lines 5-31; Figures 11 and 12).

Regarding claim 10, Kurashima discloses the OSA as placed in the cavity by first inserting the optical end thereof into the connector interface and then placing the electrical end into the cavity such that the electrical interface is urged against the circuit board (Column 11 lines 16-54).

Regarding claim 11, Kurashima discloses the OSA as one of either a receiving OSA or a transmitting OSA (Column 6 lines 45-49).

Regarding claim 12, Kurashima discloses the electrical interface as having electrical leads extending from the OSA essentially parallel to the optical axis of the OSA and a flexible circuit of electrical conductors extending orthogonally from the electrical leads (Figure 2 elements 2 and 47).

Regarding claim 13, Kurashima discloses the circuit board as having a top and bottom orientation when mounted on the substrate, the contacts being disposed on the top of the circuit board, and wherein the OSA is placed in the cavity such that the electrical conductors overlay the contacts (Figures 3 and 4).

Art Unit: 2871

Regarding claim 14, Kurashima discloses the conductors as resilient and as biased into the circuit board when the OSA is disposed in the cavity (Column 7 lines 49-63; Figure 3).

Regarding claim 15, Kurashima discloses the flexible circuit as not extending between the electrical leads and the contacts in a straight line (Figure 2).

Regarding claim 16, Kurashima discloses the circuit board as planar and parallel to the optical axis (Figure 2).

Regarding claim 17, Kurashima discloses the flexible circuit as extending orthogonally from the electrical leads and as bending around the circuit board (Figure 2).

Regarding claim 20, Kurashima discloses attaching a cover to the substrate to contain and hold secure the OSA (Figure 2 element 4).

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kurashima in view of Sampson and in further view of Ishibashi et al. (U.S. Patent No. 5,596,663 "Ishibashi").

Kurashima as modified by Sampson fails to disclose the second structure as an orifice adapter to receive a pin and the circuit board as comprising an orifice to receive a pin, and wherein affixing the circuit board to the substrate comprises sequentially inserting a pin through an orifice of the circuit board and an orifice through the substrate. Ishibashi, however, teaches

Art Unit: 2871

such a fixing and alignment structure (circuit board 30, circuit board orifice 31, substrate 10, orifice adapter 11, pin 71).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate such a fixing and alignment structure between the circuit board and the substrate in the display device disclosed by Kurashima. One would have been motivated to include such an alignment structure as a means of automating the assembly process and to allow for the substrate to be easily press-fit onto the circuit board (Column 12 lines 32-48).

Claims 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kurashima in view of Sampson and in further view of Gilliland et al. (U.S. Patent No. 6,358,066 "Gilliland").

Kurashima as modified by Sampson fails to disclose the amount of overlap between the contacts and the electrical conductors as adjusted to control impedance after the OSA is placed in the cavity. Gilliland, however, teaches such a feature as a means of matching the impedance of the connection to that of the host device (Column 6 lines 26-39).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to adjust the amount of overlap between the contacts and the electrical conductors to control impedance after the OSA is placed in the cavity. One would have been motivated to match the impedances of the connection and the host device to avoid the cost and inconvenience of additional impedance match equipment and to benefit from an efficient contact between electrical components (Column 1 lines 28-48).

Art Unit: 2871

**Contact Information** 

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Michael H. Caley whose telephone number is (571) 272-2286.

The examiner can normally be reached on M-F 8:30 a.m. - 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Robert Kim can be reached on (571) 272-2293. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael H. Caley September 30, 2005

mhc

ANDREW SCHECHTER